

Cut Permit Bond


1. Performance Bond of \$15.00 per square foot of road surface cut or linear foot for curb/ gutter cut.
2. Contractor/Permittee is responsible and liable for all traffic control.
3. No tunneling under curbs or sidewalks.
4. Location of cut to be approved by City of Evanston.
5. Contractor/Permittee is responsible for all OSHA applicable standards.
6. Trench compaction must be to **95% density**.
7. Cold Mix allowed only temporarily until hot mix is available. (Normally within 48 hours.)
8. One-year warranty period, beginning at time of repair approval (written).
9. If original repair fails, it shall be repaired to City's satisfaction and begin a new warranty period of one year. After 2 years, your Bond is forfeited.
10. The City will refund the Performance Bond **after one-year** with successful repair.
11. Contractor/Permittee shall hold the City harmless for all claims arising from the work

Materials Standards

Wyoming Public Works Standards Specifications (latest addition) shall be used.

1. Plant Mix Pavements
 - a. Section 2512
 - b. PG 58-28 Binder Minimum
 - c. Marshall (50 blow minimum) or Superpave (50 gyration minimum) mix design
 - d. 1/2" Nominal maximum aggregate size
 - e. 15% RAP maximum
2. Concrete Pavements
 - a. Section 3310
 - b. 4,000 PSI Minimum compressive strength (class 4000)

NOTE:
WHERE TRENCH PASSES THROUGH EXISTING PAVEMENT THE PAVEMENT SHALL BE
CUT IN ACCORDANCE WITH SECTION 02075-3.01.



§ 21-8 Bond.

[Added by Ord. No. 81-79]

No person shall make any excavation or dig any hole, drain or ditch in any street, sidewalk or thoroughfare within the City, without first posting a bond in the amount of the estimated cost of repairs to the street, sidewalk or thoroughfare as determined by the City engineer. The bond shall be of a form to be approved by the City attorney and City council. Each bond shall be filed with the City clerk and shall be conditioned upon the completion of all necessary repairs to the street, sidewalk or thoroughfare. completed.

§ 22-28 Inspections.

Appropriate agencies and departments of the City shall inspect or cause to be inspected all streets, curbs, gutters, sidewalks, fire hydrants, water supply and sewage disposal systems and buildings incidental thereto, in the course of construction, installation or repair. Excavation for fire hydrants and water and sewer mains and laterals shall not be covered or backfilled until such installations shall have been approved by the City engineer. If any such installation is covered before being inspected and approved, it shall be uncovered after notice to uncover has been issued to the responsible person by the inspector.